		Canada Maut	I DD	I mimo et
L Number	Hits	Search Text	DB	Time stamp
-	298	(pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/21 09:16
-	66	((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 16:10
-	121		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:55
-	29	((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212))) and ((convert\$4 near4 binary) or (tag adj2 identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:51
_	9	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212))) and ((convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:20
_	16		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16
_	146		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:54
-	113	<pre>(((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17
-	121	((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:55
-	43	((((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:56

		· ·	_	
_	43	(((((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4))) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/17 11:32
-	3	Merk.in. and serializ\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/17 16:33
-	3	6292933.URPN.	IBM_TDB USPAT	2003/10/17 14:26
-	2	JDOM and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 09:56
-	67	"distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 16:36
-	28	<pre>(pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 16:42
-	24	((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212)) and (tagged near3 (object or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:44
-	29	ORB and (tagged near3 (object or data)) and (encapsulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 16:45
_	5	(ORB and (tagged near3 (object or data)) and (encapsulat\$4)) not ((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:45
_	86	moniker and encapsulat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 08:50
-	19	(moniker and encapsulat\$4) and ((object) same (tag\$4)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 09:07
-	18	<pre>(stub) and (tagged near3 (id or identifier))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 09:08
_	76	(stub) and (marshall\$4 same unmarshall\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 09:10
-	159	(stub) and (marshal\$4 same unmarshal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10

		•	-	
-	12	<pre>(moniker and encapsulat\$4) and ((stub) and (marshal\$4 same unmarshal\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/20 09:10
-	77	(pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/20 09:11
-	55	((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 15:07
-	298	(((complex and simple) or list) adj2 object) and (tag\$4 near4 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 09:14
-	276	((((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 09:14
_	13	data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as.) and (((((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	75	Accenture.as.) 5907704.URPN.	USPAT	2003/10/20 15:06
_	6	"5493680" "5499333" "5680619").PN.	USPAT	2003/10/20 09:39
_	13	("5287447" "5423041" "5493680" "5499333" "5499371").PN. ("5519867" "5692180" "5907704"	USPAT USPAT	2003/10/20 09:42 2003/10/20
	13	"5915253" "5951649" "5995753" "6032151" "6041347" "6052528" "6173289" "6249820" "6278995" "6321259").PN.	USPAT	09:55
-	75		USPAT	2003/10/20 15:06
-	701	((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 15:07
-	3	5907704.URPN. and (((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/20 15:22
-	168	<pre>(encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 09:55
-	695	(tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:28
-	69	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:45

			_	
_	34	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212 or @rlad<=20001212 or @rlad<=20001212 or @rlad<=20001212 or @rlad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:34
-	12	<pre>(((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as. and (@ad<=20001212) or @rlad<=20001212)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:28
_	37	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:33
_	8	(((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:40
	29	(((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not (((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:40
_	169	(encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 09:55
_	84	(Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 09:58
-	45	<pre>((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:58

			_	
_	22	(((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:42
_	2	@rlad<=20001212) 6226692.URPN.	USPAT	2003/10/21 10:08
-	5	("5295242" "5481715" "5692183" "5751962" "5848419").PN.	USPAT	2003/10/21 10:10
-	1	(transmi\$6 near4 ((packed or compacted or zipped or packaged) adj2 (container or object or bundle))) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 10:42
	23	<pre>(((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:14
-	36		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 10:57
_	1	<pre>((((architecture or platform) near2 independent) near2 (container or package))) and API and (header and (transmitted or transmission or sent or received))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 10:57
-	1	<pre>((((architecture or platform) near2 independent) near2 (container or package))) and (tag\$3 near3 data)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 10:58
_	3	<pre>(((((architecture or platform) near2 independent) near2 (container or package))) and (header and (transmitted or transmission or sent or received))) or ((((architecture or platform) near2 independent) near2 (container or package))) and (tag\$3 near3 data))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:08
-	2756	Brown.in. and container	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:12
-	12	(Brown.in. and container) and ((platform or architecture) near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 11:56
-	3	((Brown.in. and container) and ((platform or architecture) near2 independent)) and (@ad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 11:56

_	2	<pre>((((architecture or platform) near2 independent) near2 (container or package))) and (header and (transmitted or transmission or sent or received))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/21 11:59
_	756	(packaging near3 (object or class)).ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/21 11:55
_	614	((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/21 11:56
-	4	(((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212)) and ((platform or architecture) near2 independent)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 11:56
_	1012	((pack\$6 near5 (object or class or content or media)).ab. and distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 14:10
_	4	(((pack\$6 near5 (object or class or content or media)).ab. and distribution)) and (object near3 type) and (pack\$4 and unpack\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 14:12
_	4	(transmission near3 ((Java or beans or media) near2 package)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 14:14
	23	(((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id)) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id)) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:33
	1	((((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id)) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not ((((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id)) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) and (@ad<=20001212 or @rlad<=20001212) and "fixed format".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:18

			·	
	1	<pre>((((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212)) and "piecemeal".ti.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21
-	1	l =	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:50
-	23	<pre>(((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21
_	2	((US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6253256-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-660619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$).did. or (US-20010020243-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20030005411-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and (language near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20
-	8	(" ntoh" or " hton") and "C language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:56
-	4	(" ntoh" or " hton") and "Java"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:20
-	3883	(707/3,103R).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:23

-	1137	(709/316,231).CCLS.	USPAT; US-PGPUB;	2003/10/23 10:23
			EPO; JPO; DERWENT;	
	000	(717 (100 100) ggv c	IBM_TDB	2002/10/02
_	903	(717/100-108).CCLS.	USPAT; US-PGPUB;	2003/10/23 10:24
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	947	((717/114-116) or (717/174-178)).CCLS.	USPAT; US-PGPUB;	2003/10/23
			EPO; JPO;	
			DERWENT; IBM TDB	
-	2743	((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format	USPĀT; US-PGPUB;	2004/04/20
		same (neutral or universal or	EPO; JPO;	10.27
		((architecture or language) near2 independent)))	DERWENT; IBM TDB	
-	18	(((package or seriali\$6 or stream) and	USPĀT;	2004/04/20
		(distribut\$5 or transmi\$6)) and (format same (neutral or universal or	US-PGPUB; EPO; JPO;	16:21
		((architecture or language) near2 independent)))) and (@ad<=20001212 or	DERWENT; IBM TDB	
		@rlad<=20001212) and (stub and marshal\$5)	_	
-	7	((((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format	USPAT; US-PGPUB;	2004/04/20
		same (neutral or universal or	EPO; JPO;	
		((architecture or language) near2 independent)))) and (@ad<=20001212 or	DERWENT; IBM TDB	
		<pre>@rlad<=20001212) and (stub and marshal\$5)) and (encapsulat\$5 near9 (size</pre>	_	
		or type or identifier or length))		
-	49	(moniker and (object same header)) or (Gish.in. and message and package)	USPAT; US-PGPUB;	2004/04/20
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	11	((moniker and (object same header)) or (Gish.in. and message and package)) and	USPAT; US-PGPUB;	2004/04/20
		(@ad<=20001212 or @rlad<=20001212) and	EPO; JPO;	
		(stub and marshal\$5)	DERWENT; IBM_TDB	
-	10	(((moniker and (object same header)) or (Gish.in. and message and package)) and	USPĀT; US-PGPUB;	2004/04/20 16:27
		(@ad<=20001212 or @rlad<=20001212) and	EPO; JPO;	
		(stub and marshal\$5)) and (encapsulat\$4 same object)	DERWENT; IBM TDB	
-	9	<pre>((((moniker and (object same header)) or (Gish.in. and message and package)) and</pre>	USPĀT; US-PGPUB;	2004/04/20 16:27
		(@ad<=20001212 or @rlad<=20001212) and	EPO; JPO;	16:27
		(stub and marshal\$5)) and (encapsulat\$4 same object)) and (neutral or universal	DERWENT; IBM TDB	
		or ((architecture or language) near2		
_	37	<pre>independent)) ((moniker and (object same header)) or</pre>	USPAT;	2004/04/20
		(Gish.in. and message and package)) and (encapsulat\$4 same object)	US-PGPUB; EPO; JPO;	16:27
		(cheaparacta same object)	DERWENT,	
_	35	(((moniker and (object same header)) or	IBM_TDB USPAT;	2004/04/20
		(Gish.in. and message and package)) and	US-PGPUB;	16:27
		(encapsulat\$4 same object)) and (neutral or universal or ((architecture or	EPO; JPO; DERWENT;	
		language) near2 independent))	IBM TDB	

-	35	((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and ((((moniker and (object same header)) or	USPAT; US-PGPUB; EPO; JPO;	2004/04/20 16:35
		(Gish.in. and message and package)) and (encapsulat\$4 same object)) and (neutral or universal or ((architecture or language) near2 independent)))	DERWENT; IBM_TDB	
-	1	<pre>((((moniker and (object same header)) or (Gish.in. and message and package)) and (encapsulat\$4 same object)) and (neutral</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/20 16:28
		or universal or ((architecture or language) near2 independent))) and (((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same (neutral or universal or	DERWENT; IBM_TDB	
_	8	((architecture or language) near2 independent))))	USPAT;	2004/04/20
		same distribut\$5) and ((language or architecture) near2 (independent or neutral)) and (object same (id or	US-PGPUB; EPO; JPO; DERWENT;	16:33
_	8	identif\$5 or size or length or type)) (moniker and encapsulat\$5 and (package same distribut\$5) and ((language or architecture) near2 (independent or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/20 16:38
	8	neutral)) and (object same (id or identif\$5 or size or length or type))) and (@ad<=20001212 or @rlad<=20001212) ((moniker and encapsulat\$5 and (package	DERWENT; IBM_TDB USPAT;	2004/04/20
		same distribut\$5) and ((language or architecture) near2 (independent or neutral)) and (object same (id or identif\$5 or size or length or type)))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	16:32
-	15	and (@ad<=20001212 or @rlad<=20001212)) and (COM or DCOM or ORB or JCOM or Corba) ((((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format	USPAT; US-PGPUB;	2004/04/20
		same (neutral or universal or ((architecture or language) near2 independent)))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (COM or DCOM or ORB or	EPO; JPO; DERWENT; IBM_TDB	13732
-	10	JCOM or Corba) (((((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same (neutral or universal or	USPAT; US-PGPUB; EPO; JPO;	2004/04/20
		((architecture or language) near2 independent)))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (COM or DCOM or ORB or JCOM or Corba)) and ((language or	DERWENT; IBM_TDB	
_	10	architecture) near2 (independent or neutral)) ((package or seriali\$6 or stream) and	USPAT;	2004/04/20
		(distribut\$5 or transmi\$6)) and ((((((package or seriali\$6 or stream) and (distribut\$5 or transmi\$6)) and (format same (neutral or universal or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	16:35
		((architecture or language) near2 independent)))) and (@ad<=20001212 or @rlad<=20001212) and (stub and marshal\$5)) and (COM or DCOM or ORB or		
	22.5	JCOM or Corba)) and ((language or architecture) near2 (independent or neutral))		
-	217	(ORB or COM or DCOM) and ((language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/20 16:38
		or size)))	IBM TDB	,

			_	
_	132	((ORB or COM or DCOM) and ((language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/20 16:39
_	69	or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)	IBM_TDB	2004/04/20
		architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)) and (((allocat\$5 or copy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	16:49
-	25	or save) same memory) and load\$4) ((((ORB or COM or DCOM) and ((language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)) and (((allocat\$5 or copy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:53
-	4	or save) same memory) and load\$4)) not (Accenture.as. or Microsoft.as.) (((((ORB or COM or DCOM) and ((language or architecture) near2 (independent or neutral)) and encapsulat\$4 and (object near4 (type and (id or identif\$5 or name or size)))) and (@ad<=20001212 or @rlad<=20001212) and (package and encapsulat\$4)) and (((allocat\$5 or copy or save) same memory) and load\$4)) not (Accenture.as. or Microsoft.as.)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:53
_	6053	<pre>(package same encapsulat\$4) (ORB or COM or DCOM or (object near8 broker)).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/21 09:17
-	49	((ORB or COM or DCOM or (object near8 broker)).ab.) and (encapsulat\$4 or (pack\$5 or unpack\$5)) and (object near3 (type and location or identifier or id)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:24
-	4	((ORB or COM or DCOM or (object near8 broker)).ab.) and (encapsulat\$4 same (packag\$3 or (tagged adj2 data))) and (object near3 (type and location or identifier or id)) not Accenture.as. and (@ad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:39
_	41	((ORB or COM or DCOM or (object near8 broker)).ab.) and (((architecture or platform or language) near6 (independent or free or neutral or multi)) same (object or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/21 09:33
-	15	(((ORB or COM or DCOM or (object near8 broker)).ab.) and (encapsulat\$4 or (pack\$5 or unpack\$5)) and (object near3 (type and location or identifier or id)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (((ORB or COM or DCOM or (object near8 broker)).ab.) and (((architecture or platform or language) near6 (independent or free or neutral or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:33
-	19	<pre>multi)) same (object or data))) (((architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/21 09:38

_	15	((((architecture or platform or language) near6 (independent or free or	USPAT; US-PGPUB;	2004/04/21
		neutral)) near8 (container near8 (object	EPO; JPO;	10.12
		or data)))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	DERWENT; IBM TDB	
-	104	((ORB or COM or DCOM or (object near8	USPAT;	2004/04/21
		broker)).ab.) and ((CORBA or COM or DCOM or ORB) same (container or package))	US-PGPUB; EPO; JPO;	10:12
		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
_	22	(((ORB or COM or DCOM or (object near8	IBM_TDB USPAT;	2004/04/21
		broker)).ab.) and ((CORBA or COM or DCOM	US-PGPUB;	10:27
		or ORB) same (container or package))) not Accenture.as. and (@ad<=20001212 or	EPO; JPO; DERWENT;	
		@rlad<=20001212) and (encapsulat\$4 or tagged)	IBM_TDB	
-	76	((Web or bean or Java) near4 (archive	USPAT;	2004/04/21
		adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or	US-PGPUB; EPO; JPO;	10:27
		((encapsulat\$4 or broker) near8 object))	DERWENT;	
_	46	(((Web or bean or Java) near4 (archive	IBM_TDB USPAT;	2004/04/21
		adj2 file)) and distribut\$4 and (JIT or	US-PGPUB;	11:02
		JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object)))	EPO; JPO; DERWENT;	
	58	and (@ad<=20001212 or @rlad<=20001212)	IBM_TDB	2004/04/21
-	30	(XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class	USPAT; US-PGPUB;	2004/04/21 10:49
		or bean))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1	((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class	USPAT; US-PGPUB;	2004/04/21 10:35
		or bean))) and ((((Web or bean or Java)	EPO; JPO;	10,00
		near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual	DERWENT; IBM TDB	
		machine") and (package or ((encapsulat\$4		
		or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212))		
-	26	(XML or markup) and ((((Web or bean or Java) near4 (archive adj2 file)) and	USPAT; US-PGPUB;	2004/04/21 10:55
		distribut\$4 and (JIT or JVM or "virtual	EPO; JPO;	10.55
		machine") and (package or ((encapsulat\$4 or broker) near8 object))) and	DERWENT;	
		(@ad<=20001212 or @rlad<=20001212)) and		
_	16	(class or bean) ((XML or markup) and ((((Web or bean or	USPAT;	2004/04/21
		Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual	US-PGPUB;	10:59
		machine") and (package or ((encapsulat\$4	EPO; JPO; DERWENT;	
		or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212)) and	IBM_TDB	
		(class or bean)) and ((markup or XML or		
_	14	tag) same package) (((XML or markup) and ((((Web or bean or	USPAT;	2004/04/21
		Java) near4 (archive adj2 file)) and	US-PGPUB;	11:00
		distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4	EPO; JPO; DERWENT;	
		or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212)) and	IBM_TDB	
		(class or bean)) and ((markup or XML or		
_	23	tag) same package)) and Pace.in. and XML ((XML or markup or tag\$4) same ((archiv\$3	USPAT;	2004/04/21
		or packag\$4) near5 (class or Java or bean	US-PGPUB;	11:02
		or web))).ab.	EPO; JPO; DERWENT;	
_	12	(((XML or markup or tag\$4) same	IBM_TDB USPAT;	2004/04/21
	12	((archiv\$3 or packag\$4) near5 (class or	US-PGPUB;	11:18
		Java or bean or web))).ab.) and (@ad<=20001212 or @rlad<=20001212)	EPO; JPO; DERWENT;	
		(Jan 2001212)	IBM TDB	

-	70	(((((architecture or platform or	USPAT;	2004/04/21
İ		language) near6 (independent or free or	US-PGPUB;	11:08
		neutral)) near8 (container near8 (object	EPO; JPO;	
		or data)))) or ((XML or markup) same	DERWENT;	İ
		((packag\$4 or (creat\$4 near3 container))	IBM TDB	
		near8 (class or bean))) or ((((XML or	_	
		markup) and ((((Web or bean or Java)		1
		near4 (archive adj2 file)) and		
		distribut\$4 and (JIT or JVM or "virtual		
		machine") and (package or ((encapsulat\$4		
		or broker) near8 object))) and		
		(@ad<=20001212 or @rlad<=20001212)) and		
		(class or bean)) and ((markup or XML or		
		tag) same package)) and Pace.in. and XML)		1
1		or (((XML or markup or tag\$4) same		
		((archiv\$3 or packag\$4) near5 (class or		
1		Java or bean or web))).ab.)) and ((XML		
		or tag\$3 or markup) near8 (archive or		
İ		package or container or WAR or JAR or		
		WAF))		
_	46	(US-6269373-\$ or US-6253256-\$ or	USPAT;	2004/04/21
1		US-6629123-\$ or US-6499137-\$ or	US-PGPUB;	11:08
İ		US-6425017-\$ or US-6381735-\$ or	EPO;	
ļ		US-6347398-\$ or US-6591272-\$ or	DERWENT	
		US-6477580-\$ or US-6438559-\$ or		1
1		US-6292933-\$ or US-6066181-\$ or	i	1
-		US-6006280-\$ or US-5907704-\$ or		
		US-6446078-\$ or US-6427230-\$ or	1	
		US-6415280-\$ or US-6405364-\$ or		
1		US-5680619-\$ or US-6173289-\$ or		
		US-6052528-\$ or US-6226692-\$ or		
		US-5724575-\$ or US-6560639-\$ or		
1		US-6640255-\$ or US-6718364-\$).did. or		
1		(US-6665861-\$ or US-6633888-\$ or		
		US-6542908-\$ or US-6286051-\$).did. or		
		(US-20020073236-\$ or US-20020073080-\$ or		
		US-20020049788-\$ or US-20020032804-\$ or		
		US-20020073396-\$ or US-20020056012-\$ or	1	
		US-20020046294-\$ or US-20010020243-\$ or		
		US-20020065872-\$ or US-20030005411-\$ or]	
		US-20020147735-\$ or US-20030105888-\$ or	1	
ļ		US-20030172135-\$ or		
I				
		US-20030018694-\$).did. or		

- 65	((((((architecture or platform or	USPAT;	2004/04/21
	language) near6 (independent or free or	US-PGPUB;	11:09
i l	neutral)) near8 (container near8 (object	EPO; JPO;	
	or data)))) or ((XML or markup) same	DERWENT;	
	((packag\$4 or (creat\$4 near3 container))	IBM TDB	
	near8 (class or bean))) or ((((XML or	– ,	
i l	markup) and ((((Web or bean or Java)		
	near4 (archive adj2 file)) and		
	distribut\$4 and (JIT or JVM or "virtual		
	machine") and (package or ((encapsulat\$4		
	or broker) near8 object))) and		
	(@ad<=20001212 or @rlad<=20001212)) and		
	(class or bean)) and ((markup or XML or		
	tag) same package)) and Pace.in. and XML)		
	or (((XML or markup or tag\$4) same	1	
	((archiv\$3 or packag\$4) near5 (class or		
	Java or bean or web))).ab.)) and ((XML		
	or tag\$3 or markup) near8 (archive or		
	package or container or WAR or JAR or		
	WAF))) not ((US-6269373-\$ or US-6253256-\$		
	or US-6629123-\$ or US-6499137-\$ or		
	US-6425017-\$ or US-6381735-\$ or		j
	US-6347398-\$ or US-6591272-\$ or		
	US-6477580-\$ or US-6438559-\$ or		
	US-6292933-\$ or US-6066181-\$ or		
	US-6006280-\$ or US-5907704-\$ or		
	US-6446078-\$ or US-6427230-\$ or		
	US-6415280-\$ or US-6405364-\$ or		
l i	US-5680619-\$ or US-6173289-\$ or		
	US-6052528-\$ or US-6226692-\$ or		
	US-5724575-\$ or US-6560639-\$ or		
	US-6640255-\$ or US-6718364-\$).did. or		
	(US-6665861-\$ or US-6633888-\$ or		
	US-6542908-\$ or US-6286051-\$).did. or		
	(US-20020073236-\$ or US-20020073080-\$ or		
	US-20020049788-\$ or US-20020032804-\$ or	İ	
	US-20020073396-\$ or US-20020056012-\$ or		
	US-20020046294-\$ or US-20010020243-\$ or		
	US-20020065872-\$ or US-20030005411-\$ or		
	US-20020147735-\$ or US-20030105888-\$ or		
	US-20030172135-\$ or		
	US-20030018694-\$).did. or		
	(EP-1071219-\$).did. or		
	(EP-913769-\$).did.)		1

		•		
	7	((((((architecture or platform or language) near6 (independent or free or neutral)) near8 (container near8 (object or data))) or ((XML or markup) same ((packag\$4 or (creat\$4 near3 container)) near8 (class or bean))) or (((XML or markup) and ((((Web or bean or Java) near4 (archive adj2 file)) and distribut\$4 and (JIT or JVM or "virtual machine") and (package or ((encapsulat\$4 or broker) near8 object))) and (@ad<=20001212 or @rlad<=20001212)) and (class or bean)) and ((markup or XML or tag) same package)) and Pace.in. and XML) or (((XML or markup or tag\$4) same ((archiv\$3 or packag\$4) near5 (class or Java or bean or web))).ab.)) and ((XML or tag\$3 or markup) near8 (archive or package or container or WAR or JAR or WAF))) and ((US-6269373-\$ or US-6253256-\$ or US-6425017-\$ or US-64499117-\$ or US-6425017-\$ or US-64891175-\$ or US-6425017-\$ or US-64891375-\$ or US-6425017-\$ or US-66381735-\$ or US-647580-\$ or US-66381735-\$ or US-66406181-\$ or US-647580-\$ or US-643859-\$ or US-647580-\$ or US-6405364-\$ or US-6446078-\$ or US-6405364-\$ or US-6446078-\$ or US-6606181-\$ or US-6446078-\$ or US-6605364-\$ or US-6446078-\$ or US-663368-\$ or US-6226692-\$ or US-6446078-\$ or US-663388-\$ or US-62528-\$ or US-6652528-\$ or US-663388-\$ or US-6226692-\$ or US-65542908-\$ or US-6718364-\$).did. or (US-665861-\$ or US-6718364-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020073236-\$ or US-20020073080-\$ or US-20020073396-\$ or US-20020073388-\$ or US-20020073396-\$ or US-20020073388-\$ or US-20020073396-\$ or US-20020073388-\$ or US-20020073396-\$ or US-20020073388-\$ or US-20020073388-\$ or US-2002007588-\$ or US-2002007588-\$ or US-20030005411-\$ or US-20020065872-\$ or US-20030005411-\$ or US-200	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:17
-	7	(EP-1071219-\$).did. or (EP-913769-\$).did.) (WAR and (markup or extension or	US-PGPUB; EPO; JPO;	
-	5	((WAR and (markup or extension or XML)).clm.) and (@ad<=20001212 or @rlad<=20001212)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/21 11:23
-	4	(WAR and (markup or tagged or XML)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/21 11:20

	· · · · · · · · · · · · · · · · · · ·			<u> </u>
-	4	(((((((architecture or platform or	USPAT;	2004/04/21
		language) near6 (independent or free or	US-PGPUB;	11:23
		neutral)) near8 (container near8 (object	EPO; JPO;	
		or data)))) or ((XML or markup) same	DERWENT;	•
		((packag\$4 or (creat\$4 near3 container))	IBM_TDB	ĺ
		near8 (class or bean))) or ((((XML or		
		markup) and ((((Web or bean or Java)		
		near4 (archive adj2 file)) and		
		distribut\$4 and (JIT or JVM or "virtual		
		machine") and (package or ((encapsulat\$4		
		or broker) near8 object))) and		
		(@ad<=20001212 or @rlad<=20001212)) and		-
		(class or bean)) and ((markup or XML or		
		tag) same package)) and Pace.in. and XML)		
		or (((XML or markup or tag\$4) same		
		((archiv\$3 or packag\$4) near5 (class or		1
		Java or bean or web))).ab.)) and ((XML		
		or tag\$3 or markup) near8 (archive or		
	1	package or container or WAR or JAR or		
		WAF))) and ((US-6269373-\$ or US-6253256-\$		
]	or US-6629123-\$ or US-6499137-\$ or		
		US-6425017-\$ or US-6381735-\$ or	[
		US-6347398-\$ or US-6591272-\$ or		
•		US-6477580-\$ or US-6438559-\$ or		
		US-6292933-\$ or US-6066181-\$ or		
		US-6006280-\$ or US-5907704-\$ or	1	
		US-6446078-\$ or US-6427230-\$ or		
		US-6415280-\$ or US-6405364-\$ or	1	
		US-5680619-\$ or US-6173289-\$ or		
		US-6052528-\$ or US-6226692-\$ or		
	ļ	US-5724575-\$ or US-6560639-\$ or		
	l	US-6640255-\$ or US-6718364-\$).did. or	}	
		(US-6665861-\$ or US-6633888-\$ or		
		US-6542908-\$ or US-6286051-\$).did. or		
		(US-20020073236-\$ or US-20020073080-\$ or		
		US-20020049788-\$ or US-20020032804-\$ or		
		US-20020073396-\$ or US-20020056012-\$ or		
į		US-20020046294-\$ or US-20010020243-\$ or		
		US-20020065872-\$ or US-20030005411-\$ or		
		US-20020147735-\$ or US-20030105888-\$ or	Ì	
		US-20030172135-\$ or		
		US-20030018694-\$).did. or		
		(EP-1071219-\$).did. or		
		(EP-913769-\$).did.)) and (@ad<=20001212	[
		or @rlad<=20001212)		
_	5	6286051.URPN.	USPAT	2004/04/21
	l			11:25
-	47	(US-6269373-\$ or US-6253256-\$ or	USPAT;	2004/04/21
	l	US-6629123-\$ or US-6499137-\$ or	US-PGPUB;	13:17
]	US-6425017-\$ or US-6381735-\$ or	EPO;	
		US-6347398-\$ or US-6591272-\$ or	DERWENT	
		US-6477580-\$ or US-6438559-\$ or		
		US-6292933-\$ or US-6066181-\$ or		
		US-6006280-\$ or US-5907704-\$ or	[
		US-6446078-\$ or US-6427230-\$ or		
		US-6415280-\$ or US-6405364-\$ or	[
		US-5680619-\$ or US-6173289-\$ or		
		US-6052528-\$ or US-6226692-\$ or		
		US-5724575-\$ or US-6560639-\$ or		
		US-6640255-\$ or US-6718364-\$).did. or		
		(US-6665861-\$ or US-6633888-\$ or		
		US-6542908-\$ or US-6286051-\$).did. or		
		(US-20020073236-\$ or US-20020073080-\$ or		
		US-20020049788-\$ or US-20020032804-\$ or		
		US-20020073396-\$ or US-20020056012-\$ or		
	j	US-20020046294-\$ or US-20010020243-\$ or		
		US-20020065872-\$ or US-20030005411-\$ or	}	1
]	US-20020147735-\$ or US-20030105888-\$ or	1	
	1	US-20030172135-\$ or US-20030018694-\$ or	1	
		US-20030154266-\$).did. or		•
1		(EP-1071219-\$).did. or (EP-913769-\$).did.	1	
		, .== ==	· · · · · · · · · · · · · · · · · · ·	·

6	((US-6269373-\$ or US-6253256-\$ or US-6429123-\$ or US-6499137-\$ or US-6425017-\$ or US-6381735-\$ or US-6425017-\$ or US-6381735-\$ or US-6347398-\$ or US-6591272-\$ or US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6445280-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-626692-\$ or US-5724575-\$ or US-6560639-\$ or US-6526692-\$ or US-6526683-\$ or US-664255-\$ or US-6633888-\$ or US-6560639-\$ or US-6642908-\$ or US-6266051-\$).did. or (US-6665861-\$ or US-6266051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020046294-\$ or US-20020073080-\$ or US-20020046294-\$ or US-2003005411-\$ or US-200200173735-\$ or US-2003005411-\$ or US-20030172135-\$ or US-20030015888-\$ or US-20030154266-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and EJ ((US-6269373-\$ or US-6253256-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6425017-\$ or US-6427230-\$ or US-647580-\$ or US-666181-\$ or US-647580-\$ or US-666181-\$ or US-647580-\$ or US-666181-\$ or US-647580-\$ or US-666181-\$ or US-6692933-\$ or US-666181-\$ or US-6692933-\$ or US-666181-\$ or US-6692528-\$ or US-6666181-\$ or US-6692528-\$ or US-6666692-\$ or US-669290-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:18
	(US-6665861-\$ or US-6633888-\$ or US-6542908-\$ or US-6286051-\$).did. or (US-20020073236-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020032804-\$ or		

[-	2	((US-6269373-\$ or US-6253256-\$ or	USPAT;	2004/04/21
1		US-6629123-\$ or US-6499137-\$ or	US-PGPUB;	17:22
		US-6425017-\$ or US-6381735-\$ or	EPO; JPO;	1
		US-6347398-\$ or US-6591272-\$ or	DERWENT;	
		US-6477580-\$ or US-6438559-\$ or	IBM_TDB	
1		US-6292933-\$ or US-6066181-\$ or	_	
		US-6006280-\$ or US-5907704-\$ or		
		US-6446078-\$ or US-6427230-\$ or		
1	ľ	US-6415280-\$ or US-6405364-\$ or		
1		US-5680619-\$ or US-6173289-\$ or		
		US-6052528-\$ or US-6226692-\$ or		
		US-5724575-\$ or US-6560639-\$ or		
		US-6640255-\$ or US-6718364-\$).did. or		
]		(US-6665861-\$ or US-6633888-\$ or		
		US-6542908-\$ or US-6286051-\$).did. or		
[]		(US-20020073236-\$ or US-20020073080-\$ or		
		US-20020049788-\$ or US-20020032804-\$ or		
		US-20020073396-\$ or US-20020056012-\$ or		
		US-20020046294-\$ or US-20010020243-\$ or		
		US-20020065872-\$ or US-20030005411-\$ or		
		US-20020147735-\$ or US-20030105888-\$ or		
		US-20030172135-\$ or US-20030018694-\$ or		
		US-20030154266-\$).did. or		
		(EP-1071219-\$).did. or		
		(EP-913769-\$).did.) and Bowman.in.	<u> </u>	